Bhagirathi

The Bhagirathi Cooperative Milk Producers' Union Limited

# **NOTICE INVITING TENDER**

### BU/ENGG/CIVIL/3432

Dated: 23/11/2019

The Bhagirathi Cooperative Milk Producers' Union Limited invites tender in **two bid** system from reputed contractors for the base foundation & shade of new electrical panel at Bhagirathi milk Union.

### IMPORTANT DATE AND TIME SCHEDULE

| Sl. | Particulars                  | Date & Time           |  |
|-----|------------------------------|-----------------------|--|
| No. |                              |                       |  |
| 1   | Date of Inviting NIT         | 23.11.2019            |  |
| 2   | Tender Submission Start Date | 23.11.2019            |  |
| 3   | Tender Submission End Date   | 30.11.2019 by 02:00pm |  |
| 4   | Bid Opening Date             | 30.11.2019 by 03:00pm |  |

### The details of work are given below:

| Nature of Work            | Civil Works   |  |  |
|---------------------------|---|--|--|
| Scope of Work             | As per Annexure – 1   |  |  |
| Estimated Cost of Work    | Rs. 1,29,873.17/-   |  |  |
| Bid Inviting Authority    | The Managing Director of The Bhagirathi Cooperative Milk Producers'             |  |  |
| Did mynning Authority     | Union Limited   |  |  |
| Earnest Money Deposit     | 2% of the estimate put to Tender.   |  |  |
| (EMD)                     |   |  |  |
|                           | 1. Bidders having valid GST Registration Certificate and Credentials for        |  |  |
| Eligibility Criteria      | execution of similar nature of job worth Rs. 1.0 lakh are eligible for the bid. |  |  |
| Statutory & Non Statutory | 1. GST Registration Certificate 2. KYC (AADHAR/VOTER CARD/DRIVING               |  |  |
| Documents                 | LICENSE/PASSPORT) 3. Credentials as mentioned above.                            |  |  |
| Bid Document              | The bid document is available in the official website of The Bhagirathi Milk    |  |  |
| Blu Document              | Union <u>www.bhagirathimilk.com</u>   |  |  |
|                           | The financial bid documents of the technically qualified bidders will only be   |  |  |
| Financial Bid             | opened .Rate shall be quoted in the Financial bid. The rate quoted by the       |  |  |
|                           | tender shall be inclusive of all taxes and levies.                              |  |  |
|                           | The bidder selected after evaluation of financial bid by the Tender             |  |  |
| Award of Contract (AOC)   | Committee will be given Award of Contract after approval from competent         |  |  |
| Award of Contract (AOC)   | authority, subject to fulfillment of Terms and Conditions provided in the       |  |  |
|                           | tender.   |  |  |
| Validity of Bid           | 180 days after opening of Tender  |  |  |
|                           | Technical bid shall be submitted in a separate sealed cover. Similarly,         |  |  |
| Important Instructions    | Financial bid also will be submitted in a separate sealed cover. Both the       |  |  |
|                           | covers of Technical and financial bid shall be kept in a larger sealed cover    |  |  |

| superscribing Tender reference No.   |
|--|
| This sealed cover should be submitted at the Receive & Dispatch Section of<br>the Bhagirathi Cooperative Milk Producers Union Limited at Berhampore,<br>Murshidabad within stipulated time and date. |
| Address: The Managing Director, Bhagirathi Co-op. Milk Producers' Union<br>Ltd. Feeder Dairy: P.O-Chaltia : PIN -742165: DistMurshidabad   |
| Taxes will be deducted as per Govt. norms  |

# GENERAL TERMS AND CONDITIONS:

- 1. Any conditional or incomplete Tender shall not be accepted.
- 2. The successful Tender must commission the work within a period of 7 days from the date of issue of Work order.
- 3. The rate quoted is inclusive of all labour and material required for the Job. The Tender involves scope of supply and service.
- 4. No escalation in price / rate will be allowed on any ground and no claim in this regard shall be entertained.
- 5. EMD of the lowest bidder who has been awarded with the Contract shall be converted into Security deposit and shall be released after successful completion of the Work duly approved by the competent authority. EMD of unsuccessful bidders shall be released within 1 month after the AOC has been awarded to the lowest bidder. EMD shall not carry any interest.
- 6. No mobilization advance shall be given for this contract at any cost.
- 7. All the rates quoted by the Tender must be inclusive of all required materials in adherence to schedule of job as furnished in the Tender.
- 8. Terms of Payment: The payment shall be released in two phases:
  - 1. 85% payment shall be made within 30 days after successful completion of the job duly certified by the departmental Engineer and approved by competent authority.
  - 2. 15% payment shall be made after 6 months of successful completion of the job. This 15% shall serve as performance guarantee. In case there the work is found to be faulty due to negligence or use of inferior quality material by the contractor which is found after release of 85% payment the performance guarantee shall be forfeited and the contractor shall straight be blacklisted for 3 years.
- 9. Payment will only be made in NEFT/RTGS after approval from competent authority. Three copies of invoices must be submitted for payment.
- 10. Liquated damage: Liquidated damage of minimum 0.5% per day of the total cost of the Tender awarded to the bidder shall be charged if there is any delay in completion or inception of the job subjected to a maximum of 10% and the cost shall be recovered from the Contractor by deducting from the bills.
- 11. If the tender has already been blacklisted by any Government/ Government Undertakings/ Cooperative societies, his tender will be rejected. In case information about such black listing comes to the knowledge of the Union after awarding of the tender, the contract will be terminated, liquidated damages levied, apart from taking penal action.
- 12. BCMPUL reserves the right to accept or reject any or all tender wholly / partly at any point of time without assigning any reason thereof.

- 13. Force Majeure: For any delay in job not attributable to the Contractor and the Milk Union shall be termed as Liquated damage such as war, lockouts, catastrophe or any act of God. No liquidated damage on account of the Contractor shall be deducted for this clause.
- 14. Successful bidder has to complete the work within 30 days.
- 15. For any disputes beaten the Milk Union and Contractor the decision of the Milk Union shall be the final binding.

## **Precautions:**

- **1.** The tender must satisfy himself thoroughly about the spot and the requirement of the Union before submitting his tender.
- 2. The person signing the tender should be the Proprietor / Partner / Managing Director or any other person duly authorized to sign the tender document. In the latter case, authorization letter should be attached.
- **3.** The tender should read every page and understand the implications fully and offer the tender only if he could discharge the obligations set out in the tender documents.

We look forward to receiving your quotations and thank you for your interest in this project.

S/D Managing Director The Bhagirathi Co-operative Milk Producers' Union Limited

Copy forwarded to:

- 1. Office Notice Board
- 2. Office Copy
- 3. Website (<u>www.bhagirathimilk.com</u>)

### FINANCIAL BID

I .....bidder abide by all the terms and conditions of this NIT and submit financial offer below:

| Item Description                  | Basic Rate (in             | Taxes and other            | Total Amount (in           |
|-----------------------------------|----------------------------|----------------------------|----------------------------|
|                                   | Rs.)                       | levies (Rs.)               | Rs.)                       |
| Civil works as per Annexure = 1+2 | To be quoted by the bidder | To be quoted by the bidder | To be quoted by the bidder |

Thanking you,

Signature of the bidder

(NAME IN CAPITAL LETTER)

#### ANNEXURE - 1

### SCHEDULE OF RATES: PWD(WB), SCHEDULE OF RATES BUILDING & SANITARY W.E.F 01.01.2017, MURSHIDABAD

| SL<br>NO | DESCRIPTIONS OF WORKS  | QUANTITY | UNIT |
|----------|--|----------|------|
| 1        | Earth work in excavation of foundation trenches ordrains, in all sorts of soil (including mixed soil but excluding laterite or sandstone) including removing, spreading or stacking the spoils within a lead of 75 m. as directed. The item includes necessary trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water as required complete. (a) Depth of excavation not exceeding 1,500 mm. b) 1.700 x 1.700 x 0.900 = 2.601 m3 | 2.601    | Cu.m |
| 2        | Supplying and laying Polythene Sheet (150gm / sq.m.) over damp proof course or below flooring or roof terracing or in foundation or in foundation trenches.<br>i)1.524 x 1.524=(2.322 X 2)= 4.644 m2,  | 4.644    | Sq.M |
| 3        | Single Brick Flat Soling of picked jhama bricks including ramming and dressing bed to proper level and filling joints with local sand. i)1.524 X 1.524 =2.322 m2 ii)0.364 X 4 = 1.456 m2, iii)4.592 x 4.592 =21.086 m2   | 24.864   | Sq.M |
| 4        | Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 mm nominal size)<br>excluding shuttering and reinforcement, if any, in ground floor as per relevant IS codes.<br>(A) [Pakur Variety] i)1.524 x 1.524 x<br>0.203 = (0.471 X 2)= 0.942 m3 , ii)1.524 x 0.250 x 0.250=(0.095 x 4)= 0.38 m3 , iii)4.572 x<br>4.572 x 0.127 =2.654   | 3.976    | Cu.m |
| 5        | Brick work with 1st class bricks in cement mortar (1:6)<br>(a) In foundation and plinth<br>i) 1.524 X 1.524 X1.250 =2.903 m3   | 2.903    | Cu.m |
| 6        | <ul> <li>125 mm. thick brick work with 1st class bricks in cement mortar (1:4) in ground floor.</li> <li>i) 1.700 X 1.700 = 2.890m2</li> </ul>   | 2.890    | Sq.M |
| 7        | Plaster (to wall, floor, ceiling etc.) with sand and cement mortar<br>including rounding off or chamfering corners as directed and<br>raking out joints including throating, nosing and drip course,<br>scaffolding/staging where necessary (Ground floor).[Excluding<br>cost of chipping over concrete surface]<br>(ii) With 1:4 cement mortar<br>(b) 15 mm thick plaster<br>i)(1.524 x 0.900) x 4 =5.490 m2, ii) (1.524 x 1.524) = 2.322                             | 7.812    | Sq.M |
| 8        | Neat cement punning about 1.5mm thick in wall, dado, window<br>sill, floor etc.<br>NOTE:Cement 0.152 cu.m per100 sq.m.<br>i)(1.524 x 0.900) x 4 =5.490 m2, ii) (1.524 x 1.524) = 2.322   | 7.812    | Sq.M |

| Reinforcement for reinforced concrete work in all sorts of structures       0.08         including distribution bars, stirrups, binders etc initial straightening and       removal of loose rust (if necessary), cutting to requisite length, hooking and bending to correct shape, placing in proper position and binding with 16 gauge black annealed wire at every intersection, complete as per drawing and direction.(a) For works in foundation and upto roof of ground floor/upto 4 m       0.08         10       10       10         10       10       2.474         10       10       2.474         10       10       2.474         10       10       10         10       10       10         10       10       2.474         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10         10       10       10 </th <th>9</th> <th>Galvanised corrugated iron sheet work (excluding the<br/>supporting frame work) fitted and fixed with 10 mm. dia J or<br/>L hook-bolts, limpet and bitumen washers and putty complete<br/>with 150 mm. end lap and one corrugation minimum side lap.<br/>(Payment to be made on area of finished work)(GCI sheet to<br/>be supplied by contractor)<br/>(i) In Roof:-<br/>c) With 0.80 mm thick sheet<br/>40.873m2 ii)18.280 x 0.609= 11.132m2,</th> <th>52.005</th> <th>Sq.M</th> | 9 | Galvanised corrugated iron sheet work (excluding the<br>supporting frame work) fitted and fixed with 10 mm. dia J or<br>L hook-bolts, limpet and bitumen washers and putty complete<br>with 150 mm. end lap and one corrugation minimum side lap.<br>(Payment to be made on area of finished work)(GCI sheet to<br>be supplied by contractor)<br>(i) In Roof:-<br>c) With 0.80 mm thick sheet<br>40.873m2 ii)18.280 x 0.609= 11.132m2,  | 52.005 | Sq.M |
|--|---|---|--------|------|
| Hire and labour charges for shuttering with centering and necessary staging upto 4 m2.474using approved stout props and thick hard wood planks of approved thickness with<br>required bracing for concrete slabs, beams and columns, lintels curved or straight<br>including fitting, fixing and striking out after completion of works (upto roof of ground<br>floor)<br>(When the height of a particular floor is more than 4 m the equivalent floor height shall<br>be taken as 4 m and extra for works beyond the initial 4 m ht. shall be allowed under 12  |   | including distribution bars, stirrups, binders etc initial straightening and<br>removal of loose rust (if necessary), cutting to requisite length, hooking and bending to<br>correct shape, placing in proper position and binding with 16 gauge black annealed wire<br>at every intersection, complete as per drawing and direction.(a) For works in foundation<br>and upto roof of ground floor/upto 4 m<br>(i) Tor steel/Mild Steel  | 0.08   | MT   |
| X 0.203 =(1.237 X 2)=2.474   |   | using approved stout props and thick hard wood planks of approved thickness with<br>required bracing for concrete slabs, beams and columns, lintels curved or straight<br>including fitting, fixing and striking out after completion of works (upto roof of ground<br>floor)<br>(When the height of a particular floor is more than 4 m the equivalent floor height shall<br>be taken as 4 m and extra for works beyond the initial 4 m ht. shall be allowed under 12<br>(e) for every 4 m or part thereof) a) 6.096 | 2.474  | Sq.M |

|    | M.S. structural works in columns, beams etc. with simple rolled                             | 0.31 | M.T |
|----|---|------|-----|
|    | structural members (e.g. joists, angle, channel sections conforming                         |      |     |
|    | to IS: 226, IS: 808 & SP (6)- 1964 connected to one another with                            |      |     |
|    | bracket, gussets, cleats as per design, direction of Engineer-inchargecomplete including    |      |     |
|    | cutting to requisite shape and length,  |      |     |
|    | fabrication with necessary bolting, metal arc welding conforming toIS: 816-1969 & IS:       |      |     |
|    | 1995 using electrodes of approved make and  |      |     |
|    | brand conforming to IS:814- 2004, haulage, hoisting and erection                            |      |     |
|    | all complete. The rate includes the cost of rolled steel section,                           |      |     |
|    | consumables such as electrodes, gas and hire charge of all tools andplants and labour       |      |     |
|    | required for the work including all incidental  |      |     |
|    | chages such as electricity charges, labour insurance charges etc.                           |      |     |
|    | Payment to be made on the basis of calculated weight of structuralmembers only in           |      |     |
|    | finished work as per IS specified weight. Paymentfor gusset, bracket, cleat, rivets, bolts  |      |     |
|    | and nuts may be make byadding the actual weight of such items with the weight of            |      |     |
|    | finishedstructural members or 7% of weight for finished structural membersweighing          |      |     |
|    | not less than 22.5 Kg. / m. or 15 % of weight for finishedstructal members weighing less    |      |     |
|    | than 22.5 Kg. / m. may be increasedallow for bracket, cleat, rivet, bolts and nuts etc. and |      |     |
|    | no seperate   |      |     |
|    | payment being made for these items, as per direction of Engineer In                         |      |     |
|    | Charge. The rates are considered for a height of erection 8m. / 2nd                         |      |     |
|    | floor level from the ground. Add 1.5% extra over the rate for each                          |      |     |
|    | additional floor or 4m. beyond initial 8m. or part thereof.                                 |      |     |
|    | I) For structural members of specified sections weighing less than                          |      |     |
| 12 | 22.5 Kg./m  |      |     |
| 12 | 22.3 Ng./III  |      |     |