



The Bhagirathi Co-operative Milk Producers' Union Limited

(A Govt. of West Bengal Project)

NOTICE INVITING QUOTATION

BU/P&I/ICT/ 2828

DATE:13.03.2025

The Bhagirathi Milk Union is interested to purchase the following items from the accredited & authorized Suppliers/manufactures. Therefore, you are requested to quote your lowest rate. The specifications, quality and quantity of items to be purchased are given below:

Sl. No.	Particulars	Quantity	Unite Rate	GST	Other levies if any	Total Rate	Remarks
1.	Printer- HP LaserJet Pro 100 MFP M126nw	One	To be quoted by the bidder	To be quoted by the bidder	To be quoted by the bidder	To be quoted by the bidder	To be quoted by the bidder

I do hereby declare that rate quoted by me is not subject to any escalation during execution of this contract and I agree to execute the contract as per the rate quoted by me and payment terms enshrined in this NIQ.

Timeline for Quotation:

Sl. No.	Particular	Date & Time
1.	Date of Publication of NIQ	13.03.2025 at 1500 hrs
2.	Quotation submission starts date & time	13.03.2025 at 1505 hrs
3.	Last date & time of submission of Quotation	19.03.2025 at 1700 hrs
4.	Date & Time of opening of Quotation in the office of the Managing Director BCMPUL in the presence of willing bidders.	20.03.2025 at 1200 hrs

General Terms and Conditions:

1. The bidders are required to go through the Terms & Condition carefully, understand the requirement and then quote the most competitive rate in sealed envelope addressed to the Managing Director, The Bhagirathi Cooperative Milk Producers' Union Limited, Feeder Dairy, Panchanantala, Berhampore, Murshidabad, 742101 (WB).
2. Quotation shall only be accepted in sealed envelope subscribing the Enquiry No. and item type. No quotations shall be accepted through mail. Incomplete quotations are liable to be rejected.
3. Quotation received after DUE DATE & TIME will not be considered. BCMPUL shall not be responsible for delays in postal transit.



The Bhagirathi Co-operative Milk Producers' Union Limited

(A Govt. of West Bengal Project)

4. Price quoted by the bidder should be inclusive of all taxes levies packing, and forwarding F.O.R The Bhagirathi Cooperative Milk Producers' Union Limited and in adherence to the payment terms and other general terms and conditions enshrined in this NIQ. No escalation in price will be considered after submission of bids.
5. The bidders participating in the quotation must provide the following Mandatory Documents along with the price bids:
 - a. Copy of NIQ duly signed and Sealed as a token of acceptance of all terms and conditions in the NIQ.
 - b. GST Registration Certificate.
 - c. Rate must be quoted by the bidder as per the table given above.

Failure to submit the above mandatory documents shall lead to rejection of the Quotation.

6. **Tentative Delivery/Supply Schedule:** Materials must be delivered within 7 days after placement of Purchase.
7. Technical Specifications as per **Annexure-A**.
8. The quotation should be complete in all respects and the firms shall give the Make/ Brand name offered for the items in the quotations. Wherever applicable, technical literature may please be enclosed along with quotation.
9. **Warranty:** Material/ equipment shall be warranty for the minimum period of 3 years from the principal Company with technical support and shall be warranty on-site for satisfactory performance, workmanship and for the quality of material/ equipment supplied by the firm from the date of delivery.
10. **Packing:** The Materials shall be packed suitably for dispatch directly to Milk Union at Suppliers expenses and supplier shall be responsible for any damage during transit.
11. **Service:** The offer shall clearly state full details of the after-sales service facility available for the equipment.
12. **Payment terms:** Payment shall be made in NEFT/RTGS after 30 days of receipt of the bill along with the materials in good condition certified by Competent Authority.
13. **Liquidated Damage:** If a firm accepts an order and fails to execute the order in part or in full, as per the terms and conditions stipulated in the Purchase Order, it will be open to the institute to recover the liquidated damages from the firm at the rate of 0.5% per week of the order value subject to a maximum of 10% of the order value.



The Bhagirathi Co-operative Milk Producers' Union Limited

(A Govt. of West Bengal Project)

14. The material received if found to be of substandard quality shall be rejected upon mutual inspection. In case material does not conform to the acceptability standard of the Milk Union the material has to be replaced by the party within 7 days.
15. In case there is any discrepancy in quality the Milk Union may impose a penalty and then accept the goods. In this case prior intimation shall be given to the supplier.
16. In case of any dispute between the Milk Union and the bidder the decision of the Milk Union shall be final and binding.

The Milk Union reserves full right to accept or reject any quotation/all quotations or to cancel the entire process without assigning any reason thereof.

Sd/-

Managing Director
The Bhagirathi Cooperative
Milk Producers' Union Limited



The Bhagirathi Co-operative Milk Producers' Union Limited
(A Govt. of West Bengal Project)

Annexure-A

Technical Specifications of Printer

AIO functions	Print, copy, scan; AIO multitasking supported: Yes
Duplex print options	Manual (driver support provided)
Print speed¹	Black (A4): Up to 20 ppm
First page out	Black (A4, ready): As fast as 9.5 sec
Print technology	Laser
Print resolution	Black (best): Up to 600 x 600 dpi
Print resolution technologies	FastRes 600; FastRes 1200
Print cartridges number	1 (black)
Printer smart software features Embedded Web Server	HP Auto-On/Auto-Off, HP ePrint, Apple AirPrint™, Wireless direct printing,
Mobile printing capability²	HP ePrint, Wireless direct printing, Apple AirPrint™
Standard print languages	PCLm/PCLmS
Printer management	HP Device Toolbox; Status Alerts (default install)
Scan speed	Up to 7 ppm (b&w), up to 5 ppm (colour)
Scan type	Flatbed
Scan technology	Contact Image Sensor (CIS)
Scan resolution 1200 dpi	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi; Enhanced: Up to 1200 dpi
Scan file format	<i>Windows Scan Software supports file format: JPG, RAW (BMP), PDF, TIFF, PNG; Mac Scan SW supports file format: TIFF, PNG, JPEG, JPEG-2000, PDF, PDF-Searchable, RTF, TXT</i>
Scan input modes	Solution Center Lite (Windows Vista, Windows XP) or Device Stage (Windows 7, Windows 8); TWAIN-compliant or WIA-compliant software
Scan size maximum	Flatbed: 216 x 297 mm (8.5 x 11.7 in)
Twain version	Version 1.9
Bit depth/Grayscale levels	24 bit/256
Digital sending standard features	Scan to email by HP SW; scan to application by HP SW; scan to file by HP SW
Copy speed³	Black (A4): Up to 20 cpm
Copy resolution x 600 dpi	Black (graphics): Up to 400 x 600 dpi; Colour (text and graphics): Up to 400 x 600 dpi
Maximum number of copies	Up to 99 copies
Copier reduce enlarge	25 to 400%
Copier settings <i>paper); Paper Size</i>	<i>Number of copies; Lighter/Darker; Reduce/Enlarge; Optimize (draft, text, mixed,</i>
Copier smart software features (lighter/darker);	Up to 99 multiple copies; Reduce/Enlarge from 25% to 400%; Contrast



The Bhagirathi Co-operative Milk Producers' Union Limited

(A Govt. of West Bengal Project)

Resolution (copy quality), ID Copy

Standard connectivity	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port; built-in WiFi 802.11b/g/n
Network capabilities	Via built-in 10/100 Base-TX networking
Network ready	Standard (built-in Ethernet, WiFi 802.11b/g/n)
Wireless capability	Yes, built-in WiFi 802.11b/g/n
Memory	128 MB
Processor speed	600 MHz
Duty cycle⁴	Up to 8,000 pages
Recommended monthly page volume⁵	Up to 250 to 2,000 pages
Paper handling	
<i>Input</i>	<i>150-sheet input tray</i>
<i>Output</i>	<i>100-sheet face-down bin</i>
<i>Media type</i>	<i>Paper (plain, LaserJet), envelopes, transparencies, labels, postcards</i>
<i>Media weight</i>	<i>60 to 163 g/m²</i>
<i>Supported media sizes A4; A5; B5-Japanese; envelopes (ISO DL, C5, B5, Com #10, Monarch #7 3/4); 16K; postcards (Standard #10, JIS single and double)</i>	
Dimensions (W x D x H)	420 x 365 x 254 mm
Weight	8.0 kg
<i>HP LaserJet Pro MFP M126nw; Preinstalled introductory HP LaserJet Black Cartridge (~700 pages); Installation guide, Getting Started guide, User's Guide, Support flyer, Warranty guide; Printer software and documentation on CD; Power cord; USB cable</i>	
Warranty features⁶	One-year limited warranty
Compatible operating systems	Full software installs supported on: Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista
<i>(32-bit/64-bit), Windows XP (32-bit) (SP2 or higher); Driver only installs supported on: Windows Server 2012; Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (x64) (SP1), Windows Server</i>	
<i>2008 (Standard Edition), Windows Server 2008 (Enterprise Edition), Windows Server 2003 (32-bit/64-bit) (SP1 or higher), Windows XP (64-bit) (SP2 or higher); Mac OS X v 10.6.8 or higher; Linux: Please check Linux on-line support: hplipopensource.com/hplip-web/install.html</i>	
Minimum system requirements	PC: Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP
<i>(32-bit) (SP2 or higher); 200 MB available hard disk space required (CD and Web Package); 400 MB available hard disk space required; 512 MB RAM installed; CD-ROM/DVD or Internet; USB or Network port</i>	
Mac: Mac OSX v 10.6; PowerPC G4, G5, or Intel® Core™ Processor; 500 MB available hard disk space; CD-ROM/DVD-ROM or Internet; USB or Network port	
Fonts and Typefaces	Depend on OS fonts and typefaces



The Bhagirathi Co-operative Milk Producers' Union Limited

(A Govt. of West Bengal Project)

Control panel	2 line LCD; 13 buttons (Up, Down, OK, Cancel, Back, Setup, Number of Copy, Dark/Light, Mono copy, Copy Menu, ePrint, Wireless, Power); 4 LED indicator lights (Attention, Ready, Power; wireless)
Display	2-line LCD (text)
Energy efficiency compliance	ENERGY STAR® qualified
Power	Power supply type: Built-in power supply
Power supply required:	Input voltage: 110 to 127 VAC (+/- 12%), 60 Hz (+/- 3 Hz); Input voltage: 220 to 240 VAC (+/- 12%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
Power consumption: ⁷	465 watts (Printing), 110 watts (Copying), 2.2 watts (Ready), 0.7 watts (Sleep/Auto-Off), 0.1 watts (Manual Off)
Software included	Windows: HP Installer/Uninstaller, HP PCLmS print driver, HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, Status Alerts, HP Update, DXP
Mac:	HP Installer/Uninstaller, HP PCLmS Print Driver, HP Scan, HP Setup Assistant, HP Utility, HP Alerts, HP Firmware Updater
Acoustic ⁸	Acoustic power emissions: 6.1 B(A)
Acoustic power emissions (ready):	Inaudible
Acoustic pressure emissions bystander (active, printing):	48 dB(A)
Acoustic pressure emissions bystander (ready):	Inaudible
Operating environment	Operating humidity range: 10 to 80% RH
Non-operating humidity range:	10 to 90% RH
Recommended operating humidity range:	30 to 70% RH
Operating temperature range:	15 to 32.5 ⁰ C (59 to 90.5 ⁰ F)
Recommended operating temperature range:	17.5 to 25 ⁰ C (63.5 to 77 ⁰ F)
Storage temperature range:	-4 to 140 ⁰ F (-20 to 60 ⁰ C)
Accessories	HP 1200w NFC/Wireless Mobile Print Accessory, E5K46A
Security management	Password-protected network embedded Web server; 802.11: WEP,

Sd/-

Managing Director
The Bhagirathi Cooperative
Milk Producers' Union Limited

Bhagirathi

The Bhagirathi Co-operative Milk Producers' Union Limited

(A Govt. of West Bengal Project)